





ALL LEKOS 36 DEG.
HAVE BREAK UP GOBOS




JB LIGHTING VARYSCAN A7
MOVING LED 8 DEG. A 28 DEG.
STANDARD 16 BIT DEVICE



JB LIGHTING VARYSCAN P6
SPOT



TOP VIEW





15'0" 14'0" 13'0" 12'0" 11'0" 10'0" 9'0" 8'0" 7'0" 6'0" 5'0" 4'0" 3'0" 2'0" 1'0" 0'0" 1'0" 2'0" 3'0" 4'0" 5'0" 6'0" 7'0" 8'0" 9'0" 10'0" 11'0" 12'0" 13'0" 14'0" 15'0"

22'6"
21'0"
19'6"
18'0"
16'6"
15'0"
13'6"
12'0"
10'6"
9'0"
7'6"
6'0"
4'6"
3'0"
1'6"
0'0"



LED 1.247 LED 1.255 LED 1.263 LED 1.271 LED 1.279 LED 1.287 LED 1.295 LED 1.303



2.138



2.146



2.130



2.154



2.122



2.162



ETC Lustr 11 (Selador)


DMX Footprint

- DMX 1 RED
- DMX 2 RED - ORAMGE
- DMX 3 AMBER
- DMX 4 GREEN
- DMX 5 GREEN
- DMX 6 BLUE
- DMX 7 INDIGO
- DMX 8 DIMMER



52

51



54

53




2.114




2.170

FLOOR VIEW



4 TRUSS 16"x16"x24'

BACKDROP



MOVING LIGHT JB LIGHTING (UNIVERSE 1)

SPOT
VARYSCAN P6
1 - 23 - 45 - 67 - 89 - 111

WASH LED ZOOM
VLED A7 STANDARD 16 BIT
133 - 152 - 171 - 190 - 209 - 228

CONVENTIONAL LIGHTING (UNIVERSE 2)**PAR CANS**

RED (L027) : 19 - 23 - 46 - 69 - 70
AMBER (L134) : 20 - 24 - 45 - 71
BLUE (L195) : 21 - 44 - 48 - 67 - 72
NC (L281) : 22 - 43 - 47 - 68

GOBO (BREAK UP)

TRUSS 4 : 13 - 14 - 16 - 17
TRUSS 3 : 26 - 28 - 30

LEKO

TRUSS 4 : 15
TRUSS 3 : 25 - 27 - 29 - 50
TRUSS 2 : 31 - 32 - 33 - 34 - 35
TRUSS 1 : 37 - 39 - 41

ACL : 49 - 36

BLINDER : 38 - 40 - 42

FOH LEKO : 1 - 2 - 4 - 5 - 8 - 10 - 11 - 12

LEKO SIDE : 6 - 7

FOH WASH : 3 - 9

FLOOR PAR : 52 - 53
51 - 54

SMOKE MACHINE

MDG ATMOSPHERE
HEATER : 100
SMOKE ON/OFF : 101
